

Grade 8	Month	Mathematical Practices	Units/Domains	Essential Questions	Goals-CCLS	Performance Based Assessment
	September	<p>MP.1 Make sense of problems and persevere in solving them.</p> <p>MP.2 Reason abstractly and quantitatively.</p> <p>MP.3 Construct viable arguments and critique the reasoning of others.</p> <p>MP.4 Model with Mathematics.</p> <p>MP.5 Use appropriate tools strategically.</p> <p>MP.7 Look for and make use of structure.</p>	<p>Unit 1: Equations in One Variable</p> <p>Chapter 2</p> <p>15 Days</p>	<p>What is equivalence?</p> <p>How can we communicate mathematical ideas effectively?</p>	<p>Expressions and Equations Work with radicals and integer exponents.</p> <p>CCSS.MATH.CONTENT.8.EE.1 Know and apply the properties of integer exponents to generate equivalent numerical expressions. For example, $32 \times 3^{-5} = 3^2 \times 3^{-5} = 10^2$.</p> <p>CCSS.MATH.CONTENT.8.EE.2 Analyze and solve linear equations and pairs of simultaneous linear equations.</p> <p>CCSS.MATH.CONTENT.8.EE.2.A Solve linear equations in one variable.</p> <p>CCSS.MATH.CONTENT.8.EE.2.B Solve systems of linear equations in two variables and systems of linear inequalities in two variables. Show which of these possibilities is the case by successively transforming the given equation into simpler forms, until an equivalent equation of the form $x = a$, $y = b$, or $x + y = c$ results (where a and b are different numbers).</p> <p>CCSS.MATH.CONTENT.8.EE.2.B Solve linear equations with rational number coefficients, including equations whose solutions require rational numbers.</p>	<p>Beginning of the Year Baseline Assessment, Fall MOSL & Ready Fall Diagnostic</p> <p>Pre-Assessment</p> <p>Problems of the Week</p> <p>Mid Chapter Checks</p> <p>Chapter Quizzes</p> <p>Final Unit Assessments</p> <p>Performance Task</p> <p>Math Journals</p>
	October	<p>MP.1 Make sense of problems and persevere in solving them.</p> <p>MP.2 Reason abstractly and quantitatively.</p> <p>MP.3 Construct viable arguments and critique the reasoning of others.</p> <p>MP.4 Model with Mathematics.</p> <p>MP.5 Use appropriate tools strategically.</p> <p>MP.7 Look for and make use of structure.</p>	<p>Unit 2: Equations in Two Variable</p> <p>Chapters 3 & 4</p> <p>26 Days</p>	<p>Why are graphs helpful?</p> <p>How can we model relationships between quantities?</p> <p>How can you communicate mathematical ideas effectively?</p> <p>How can you find and use patterns to model real-world situations?</p>	<p>Understand the connections between proportional relationships, lines, and linear equations.</p> <p>CCSS.MATH.CONTENT.8.EE.3 Graph proportional relationships, interpreting the unit rate as the slope of the graph. Compare two different proportional relationships represented in different ways. For example, compare a distance-time graph to a distance-time equation to determine which of two moving objects has greater speed.</p> <p>CCSS.MATH.CONTENT.8.EE.4 Use similar triangles to explain why the slope m is the same between any two distinct points on a non-vertical line in the coordinate plane; derive the equation $y = mx$ for a line through the origin and the equation $y = mx + b$ for a line intercepting the vertical axis at b.</p> <p>CCSS.MATH.CONTENT.8.EE.4 Define, evaluate, and compare functions.</p> <p>CCSS.MATH.CONTENT.8.EE.4 Understand that a function is a rule that assigns to each input exactly one output. The graph of a function is the set of ordered pairs consisting of an input and the corresponding output.</p> <p>CCSS.MATH.CONTENT.8.EE.4 Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a linear function represented by a table of values and a linear function represented by an algebraic expression, determine which function has the greater rate of change.</p> <p>CCSS.MATH.CONTENT.8.EE.4 Interpret the equation $y = mx + b$ as defining a linear function, whose graph is a straight line; give examples of functions that are not linear. For example, the function $A = s^2$ giving the area of a square as a function of its side length is not linear because its graph contains the points $(1, 1)$, $(2, 4)$ and $(3, 9)$, which are not on a straight line.</p> <p>Use functions to model relationships between quantities.</p> <p>CCSS.MATH.CONTENT.8.EE.4 Construct a function to model a linear relationship between two quantities. Determine the rate of change and initial value of the function from a description of a relationship or from two (x, y) values, including reading these from a table or a graph. Interpret the rate of change and initial value of a linear function in terms of the situation it models, and in terms of its graph or a table of values.</p> <p>CCSS.MATH.CONTENT.8.EE.4 Describe qualitatively the functional relationship between two quantities by analyzing a graph (e.g., where the function is increasing or decreasing, linear or nonlinear). Sketch a graph that exhibits the qualitative features of a function that has been described verbally.</p>	<p>Pre-Assessment</p> <p>Problems of the Week</p> <p>Mid Chapter Checks</p> <p>Chapter Quizzes</p> <p>Final Unit Assessments</p> <p>Performance Task</p> <p>Math Journals</p>
	November	<p>MP.1 Make sense of problems and persevere in solving them.</p> <p>MP.2 Reason abstractly and quantitatively.</p> <p>MP.3 Construct viable arguments and critique the reasoning of others.</p> <p>MP.4 Model with Mathematics.</p> <p>MP.5 Use appropriate tools strategically.</p> <p>MP.7 Look for and make use of structure.</p>	<p>Unit 3: Scatter Plots</p> <p>Chapter 9</p> <p>6 Days</p>	<p>How are patterns used when comparing two quantities?</p> <p>Why is learning mathematics important?</p>	<p>Investigate patterns of association in bivariate data.</p> <p>CCSS.MATH.CONTENT.8.SP.1 Construct and interpret scatter plots for bivariate measurement data to investigate patterns of association between two quantities. Describe patterns such as clustering, outliers, positive or negative association, linear association, and nonlinear association.</p> <p>CCSS.MATH.CONTENT.8.SP.2 Know that straight lines are widely used to model relationships between two quantitative variables. For scatter plots that suggest a linear association, informally fit a straight line, and informally assess the model fit by judging the closeness of the data points to the line.</p> <p>CCSS.MATH.CONTENT.8.SP.3 Use the equation of a linear model to solve problems in the context of bivariate measurement data, interpreting the slope and intercept. For example, in a linear model for a biology experiment, interpret a slope of 1.5 cm/hr as meaning that an additional hour of sunlight each day is associated with an additional 1.5 cm in mature plant height.</p> <p>CCSS.MATH.CONTENT.8.SP.4 Understand that patterns of association can also be seen in bivariate categorical data by displaying frequencies and relative frequencies in a two-way table. Construct and interpret a two-way table summarizing data on two categorical variables collected from the same subjects. Use relative frequencies calculated for rows or columns to describe possible association between the two variables.</p>	<p>Pre-Assessment</p> <p>Problems of the Week</p> <p>Mid Chapter Checks</p> <p>Chapter Quizzes</p> <p>Final Unit Assessments</p> <p>Performance Task</p> <p>Math Journals</p>
	November/December	<p>MP.1 Make sense of problems and persevere in solving them.</p> <p>MP.2 Reason abstractly and quantitatively.</p> <p>MP.3 Construct viable arguments and critique the reasoning of others.</p> <p>MP.4 Model with Mathematics.</p> <p>MP.5 Use appropriate tools strategically.</p> <p>MP.7 Look for and make use of structure.</p>	<p>Unit 4: Systems of Equations</p> <p>Chapter 3 partial/teacher made</p> <p>12 Days</p>	<p>Why are graphs helpful?</p> <p>How can you communicate mathematical ideas effectively?</p>	<p>Analyze and solve linear equations and pairs of simultaneous linear equations.</p> <p>CCSS.MATH.CONTENT.8.EE.6 Analyze and solve pairs of simultaneous linear equations.</p> <p>CCSS.MATH.CONTENT.8.EE.6.A Understand that solutions to a system of two linear equations in two variables correspond to points of intersection of their graphs, because points of intersection satisfy both equations simultaneously.</p> <p>CCSS.MATH.CONTENT.8.EE.6.B Solve systems of two linear equations in two variables algebraically, and estimate solutions by graphing the equations. Solve simple cases by inspection. For example, $3x + 2y = 5$ and $3x + 2y = 6$ have no solution because $3x + 2y$ cannot simultaneously be 5 and 6.</p> <p>CCSS.MATH.CONTENT.8.EE.6.C Solve real-world and mathematical problems leading to two linear equations in two variables. For example, given coordinates for two pairs of points, determine whether the line through the first pair of points intersects the line through the second pair.</p>	<p>Pre-Assessment</p> <p>Problems of the Week</p> <p>Mid Chapter Checks</p> <p>Chapter Quizzes</p> <p>Final Unit Assessments</p> <p>Performance Task</p> <p>Math Journals</p>
	December/January	<p>MP.1 Make sense of problems and persevere in solving them.</p> <p>MP.2 Reason abstractly and quantitatively.</p> <p>MP.3 Construct viable arguments and critique the reasoning of others.</p> <p>MP.4 Model with Mathematics.</p> <p>MP.5 Use appropriate tools strategically.</p> <p>MP.7 Look for and make use of structure.</p> <p>MP.8 Look for and express regularity in repeated reasoning.</p>	<p>Unit 5: Transformations</p> <p>Chapter 6</p> <p>14 Days</p>	<p>How can we best show or describe the change in position of a figure?</p> <p>How can you use different measurements to solve real-world problems?</p>	<p>Understand congruence and similarity using physical models, transparencies, or geometry software.</p> <p>CCSS.MATH.CONTENT.8.G.1 Verify experimentally the properties of rotations, reflections, and translations:</p> <p>CCSS.MATH.CONTENT.8.G.1.A Lines are taken to lines, and line segments to line segments of the same length.</p> <p>CCSS.MATH.CONTENT.8.G.1.B Angles are taken to angles of the same measure.</p> <p>CCSS.MATH.CONTENT.8.G.1.C Parallel lines are taken to parallel lines.</p> <p>CCSS.MATH.CONTENT.8.G.2 Describe the effect of dilations, translations, rotations, and reflections on two-dimensional figures using coordinates.</p>	<p>Pre-Assessment</p> <p>Problems of the Week</p> <p>Mid Chapter Checks</p> <p>Chapter Quizzes</p> <p>Final Unit Assessments</p> <p>Performance Task</p> <p>Math Journals</p>
	January/February	<p>MP.1 Make sense of problems and persevere in solving them.</p> <p>MP.2 Reason abstractly and quantitatively.</p> <p>MP.3 Construct viable arguments and critique the reasoning of others.</p> <p>MP.4 Model with Mathematics.</p> <p>MP.5 Use appropriate tools strategically.</p> <p>MP.7 Look for and make use of structure.</p>	<p>Unit 6: Congruence/Similarity</p> <p>Chapters 5 & 7</p> <p>23 Days</p>	<p>How can you use different measurements to solve real-world problems?</p> <p>How can algebraic concepts be applied to geometry?</p> <p>How can you determine congruence and similarity?</p>	<p>Understand congruence and similarity using physical models, transparencies, or geometry software.</p> <p>CCSS.MATH.CONTENT.8.G.2 Understand that a two-dimensional figure is congruent to another if the second can be obtained from the first by a sequence of translations, reflections, and rotations; given two congruent figures, describe a sequence that exhibits the congruence between them.</p> <p>CCSS.MATH.CONTENT.8.G.3 Understand that a two-dimensional figure is similar to another if the second can be obtained from the first by a sequence of translations, reflections, rotations, and dilations; given two similar two-dimensional figures, describe a sequence that exhibits the similarity between them.</p> <p>CCSS.MATH.CONTENT.8.G.4 Use informal arguments to establish facts about the angle sum and exterior angle of triangles, about the angles created when parallel lines are cut by a transversal, and the angle-side criterion for similarity of triangles.</p> <p>Understand and apply the Pythagorean Theorem.</p> <p>CCSS.MATH.CONTENT.8.EE.5 Explain a proof of the Pythagorean Theorem and its converse.</p> <p>CCSS.MATH.CONTENT.8.EE.5 Apply the Pythagorean Theorem to determine unknown side lengths in right triangles in real-world and mathematical problems in two and three dimensions.</p> <p>CCSS.MATH.CONTENT.8.EE.6 Apply the Pythagorean Theorem to find the distance between two points in a coordinate system.</p>	<p>Pre-Assessment</p> <p>Problems of the Week</p> <p>Mid Chapter Checks</p> <p>Chapter Quizzes</p> <p>Final Unit Assessments</p> <p>Performance Task</p> <p>Math Journals</p>
	February/March	<p>MP.1 Make sense of problems and persevere in solving them.</p> <p>MP.2 Reason abstractly and quantitatively.</p> <p>MP.3 Construct viable arguments and critique the reasoning of others.</p> <p>MP.4 Model with Mathematics.</p> <p>MP.5 Use appropriate tools strategically.</p> <p>MP.6 Attend to precision.</p> <p>MP.7 Look for and make use of structure.</p>	<p>Unit 7: Volume and Surface Area</p> <p>Chapter 8</p> <p>13 Days</p>	<p>How can you use different measurements to solve real-world problems?</p> <p>Why are formulas important in math and science?</p>	<p>Solve real-world and mathematical problems involving volume of cylinders, cones, and spheres.</p> <p>CCSS.MATH.CONTENT.8.G.9 Know the formulas for the volumes of cones, cylinders, and spheres and use them to solve real-world and mathematical problems.</p>	<p>Pre-Assessment</p> <p>Problems of the Week</p> <p>Mid Chapter Checks</p> <p>Chapter Quizzes</p> <p>Final Unit Assessments</p> <p>Performance Task</p> <p>Math Journals</p>
	March	<p>MP.1 Make sense of problems and persevere in solving them.</p> <p>MP.3 Construct viable arguments and critique the reasoning of others.</p> <p>MP.4 Model with Mathematics.</p> <p>MP.5 Use appropriate tools strategically.</p> <p>MP.6 Attend to precision.</p> <p>MP.7 Look for and make use of structure.</p> <p>MP.8 Look for and express regularity in repeated reasoning.</p>	<p>Unit 8: Monomials</p> <p>Chapter 1</p> <p>8 Days</p>	<p>How can mathematical ideas be represented?</p> <p>Why is it helpful to write numbers in different ways?</p>	<p>Know that there are numbers that are not rational, and approximate them by rational numbers.</p> <p>CCSS.MATH.CONTENT.8.NS.1 Know that numbers that are not rational are called irrational. Understand informally that every number has a decimal expansion; for rational numbers show that the decimal expansion repeats eventually, and convert a decimal expansion which repeats eventually into a rational number.</p> <p>CCSS.MATH.CONTENT.8.NS.2 Use rational approximations of irrational numbers to compare the size of irrational numbers, locate them approximately on a number line diagram; and estimate the value of expressions (e.g., π^2).</p>	<p>Pre-Assessment</p> <p>Problems of the Week</p> <p>Mid Chapter Checks</p> <p>Chapter Quizzes</p> <p>Final Unit Assessments</p> <p>Performance Task</p> <p>Math Journals</p>
	March/April	<p>MP.1 Make sense of problems and persevere in solving them.</p> <p>MP.3 Construct viable arguments and critique the reasoning of others.</p> <p>MP.4 Model with Mathematics.</p> <p>MP.5 Use appropriate tools strategically.</p> <p>MP.6 Attend to precision.</p> <p>MP.7 Look for and make use of structure.</p> <p>MP.8 Look for and express regularity in repeated reasoning.</p>	<p>Unit 9: Scientific Notation</p> <p>Chapter 7 partial/teacher made</p> <p>12 Days</p>	<p>How can mathematical ideas be represented?</p> <p>Why is it helpful to write numbers in different ways?</p>	<p>Expressions and Equations Work with radicals and integer exponents.</p> <p>CCSS.MATH.CONTENT.8.EE.1 Know and apply the properties of integer exponents to generate equivalent numerical expressions. For example, $3^2 \times 3^{-5} = 3^{-3} = 10^{-3} = 10^{-2}$.</p> <p>CCSS.MATH.CONTENT.8.EE.2 Use square root and cube root symbols to represent solutions to equations of the form $x^2 = p$ and $x^3 = p$, where p is a positive rational number. Evaluate square roots of small perfect squares and cube roots of small perfect cubes. Know that $\sqrt{2}$ is irrational.</p> <p>CCSS.MATH.CONTENT.8.EE.3 Use numbers expressed in the form of a single digit times an integer power of 10 to estimate very large or very small quantities and to express how many times as much one is than the other. For example, estimate the population of the United States as 3 times 10^8 and the population of the world as 7 times 10^9, and determine that the world population is more than 20 times larger.</p> <p>CCSS.MATH.CONTENT.8.EE.4 Perform operations with numbers expressed in scientific notation, including problems where both decimal and scientific notation are used. Use scientific notation and choose units of appropriate size for measurements of very large or very small quantities (e.g., use millimeters per year for seafloor spreading); interpret scientific notation that has been generated by technology.</p>	<p>Pre-Assessment</p> <p>Problems of the Week</p> <p>Mid Chapter Checks</p> <p>Chapter Quizzes</p> <p>Final Unit Assessments</p> <p>Performance Task</p> <p>Math Journals</p>
	May/June	<p>MP.1 Make sense of problems and persevere in solving them.</p> <p>MP.2 Reason abstractly and quantitatively.</p> <p>MP.3 Construct viable arguments and critique the reasoning of others.</p> <p>MP.4 Model with Mathematics.</p> <p>MP.5 Use appropriate tools strategically.</p> <p>MP.7 Look for and make use of structure.</p> <p>MP.8 Look for and express regularity in repeated reasoning.</p>	<p>Unit 10: Pythagorean Theorem</p> <p>Chapter 5</p> <p>21 Days</p>	<p>How can you use different measurements to solve real-world problems?</p> <p>How can algebraic concepts be applied to geometry?</p>	<p>Expressions and Equations Work with radicals and integer exponents.</p> <p>CCSS.MATH.CONTENT.8.EE.2 Use square root and cube root symbols to represent solutions to equations of the form $x^2 = p$ and $x^3 = p$, where p is a positive rational number. Evaluate square roots of small perfect squares and cube roots of small perfect cubes. Know that $\sqrt{2}$ is irrational.</p> <p>Understand and apply the Pythagorean Theorem.</p> <p>CCSS.MATH.CONTENT.8.EE.5 Explain a proof of the Pythagorean Theorem and its converse.</p> <p>CCSS.MATH.CONTENT.8.EE.6 Apply the Pythagorean Theorem to determine unknown side lengths in right triangles in real-world and mathematical problems in two and three dimensions.</p> <p>CCSS.MATH.CONTENT.8.EE.6 Apply the Pythagorean Theorem to find the distance between two points in a coordinate system.</p>	<p>Pre-Assessment</p> <p>Problems of the Week</p> <p>Mid Chapter Checks</p> <p>Chapter Quizzes</p> <p>Final Unit Assessments</p> <p>Performance Task</p> <p>Math Journals</p>

Vertical line on the left side of the page.

Vertical line on the left side of the page.

Vertical line on the right side of the page.









